



2Ft Single Open Channel

Code: 375

- Narrow Profile (45mm Width)
- Snap In Lampholder
- 1 x 18W



2Ft Double Open Channel

Code: 238

- Ideal for cove lighting
- Easy lampholder assembly
- 90mm Width
- 2 x 18W



4Ft Single Open Channel

Code: 60

- Narrow Profile
- Snap In Lampholder
- 1 x 36W



5Ft Single Open Channel

Code: 61

- Narrow Profile
- Snap In Lampholder
- 1 x 58W



4Ft Double Open Channel

Code: 62

- Narrow Profile
- Snap In Lampholder
- 2 x 36W



5Ft Double Open Channel

Code: 63

- Ideal for cove lighting
- Easy lampholder assembly
- 2 x 36W



Vapour Proof Fittings

2Ft Double Vapour Proof

Code: 66

4Ft Double Vapour Proof

Code: 67

5Ft Double Vapour Roof

Code: 68

Specifications:

- T5 Globe
- 2 x 14W (2Ft)
- 2 x 28W (4Ft)
- 2 x 35W (5Ft)
- Dustproof
- Explosion Proof



T5 Recessed LBR Fitting

Code: 853

- 3 X 28 Watt
- 4Ft



T5 Recessed LBR Fitting

Code: 854

- 3 X 14 Watt
- 4 Ft



T5 Recessed LBR Fitting

Code: 355

- 2 X 28 Watt
- 2 Ft



T8 Recessed LBR Fitting

Code: 64

- 3 X 36 Watt
- 4Ft



T8 Recessed Prismatic Fitting **Code: 853**

- 3 X 36W
- 4Ft



LED Empty Open Channel **Code: 1426**

- 4Ft Double
- Supports T8 Globe



LED Open Empty Channel **Code: 1425**

- 5Ft Double
- Supports T8 Globe