




Thru Switches

Black

Code:241

White

Code:242



Strip Connector 12 Way (Black)

6Amp

Code:18

15Amp

Code:19

30Amp

Code:20



PVC Plug Top

Code:338

White

15 Amp

3 Pin



Rubber Plug Top

Code:21

Black

15 Amp

3 Pin



Double Janus Couper

Code:4

Rubber



Kettle Cord

Code:480

Black

3 Pin



Universal Timer

Code:22

16 Amp

Min Setting 30 Mins

Max Setting 24 Hrs.




PVC 10mm Entry

Black

Code:58

White

Code:319



Illumination Lampholder

Code:3642


Black



50mm Batten Lampholder


Code:59

Black




220V Dichroic Lampholder

Code:10



12V Dichroic Lampholder

Code:9



220V Dichroic Lampholder **Code:11**

- With Terminal block + Bracket



Porcelain Lampholder **Code:13**

- E27
- Skirted



Porcelain Lampholder **Code:12**

- B22
- Skirted



Porcelain Lampholder **Code:15**

- E40
- Unskirted



Porcelain Lampholder

Code:14


- E27
- Unskirted



Porcelain Connector

Code:16

- Midget
- HF01



Porcelain Connector

Code:17

- Normal Screw
- HF02



LMR Electrical Tape (20 Meter)

Available in:

- | | |
|-------------|--------------|
| Black (219) | White (222) |
| Blue (220) | Green (223) |
| Red (221) | Yellow (224) |



Powerbanks



- Sleek and modern Design
- Pocket Friendly
- 2 USB Charging Ports
- LED Indicator including a torch
- Custom Skins available
- Fast Charge® Patented Technology
- 11000mAh
- Micro USB
- Only 280g in Weight
- Will Charge iPad & iPhone twice over with single charge.
- Competitively Priced

Black

Code:957

Blue

Code:958

White

Code:959

Orange

Code:960



Tape Measure

3M x 19mm	Code:225
5M x 19mm	Code:226
8M x 25mm	Code:227



Industrial Ceiling Fan	Code:1
5 Speed Fan	Code:2
• White	

ST09 Infra-Red Motion Sensor (165)

Nominal voltage: 230V / 50Hz
Detection range: 180°
Detection Distance: max.12m
Nominal load: IL - 1200W / ESL



ST 24 Infra-Red Motion Sensor (166)

Time Delay: 5s, 30s, 1min, 3min, 5min, 8min
Ambient Light: 10LUX/2000LUX De-tection
Distance: 3m/6m



ST05A Motion Sensor (164)

Detection range: 360 degree
Power source 110-130V/AC
Rated Load: 800W
Detection Distance: max.6m
Ambient Light: 3-2000LUX



ST41 Motion Sensor (167)

Detection range: 360 degree
Power source 110-130V/AC
Rated Load: 800W
Detection Distance: max.6m
Ambient Light: 3-2000LUX



Nylon Lampholders

Base	Colour	Code
E14 Skirted Thread	Black	71
E14 Skirted Thread	White	72
E14 Holder Ring	Black	73
E14 Holder Ring	White	74
E14 10mm Holder Cap	Black	75
E14 10mm Holder Cap	White	76
E14 Unskirted Plain	Black	85
E14 Unskirted Plain	White	86
E27 Skirted Thread	Black	77
E27 Skirted Thread	White	78
E27 Holder Ring	Black	79
E27 Holder Ring	White	80
E27 10mm Holder Cap	Black	81
E27 10mm Holder Cap	White	82
E27 Unskirted Plain	Black	83
E27 Unskirted Plain	White	84
E14 Lampholder Plain Complete	Black	300
E14 Lampholder Plain Complete	White	301
E14 Lampholder Threaded Complete	Black	253
E14 Lampholder Threaded Complete	White	256
E27 Lampholder Plain Complete	Black	304
E27 Lampholder Plain Complete	White	305
E27 Lampholder Threaded Complete	Black	302
E27 Lampholder Threaded Complete	White	303



NEW STOCK



Introducing the all new ST307 Infra-Red Day/Night Sensor



Material: PC (UV Proof)

Power Source: 220-240V AC

Power Frequency: 50Hz

Rated Current: ST307B:20Amp

Ambient Light: <5050LUX (Adjustable)

CE, ROHS, 3 Years Warranty

IP44

WWW.LMRIMPORTS.COM