



### HQ LED Flood Light 10W


Cool White

**Code:126**

Warm White

**Code:127**

- 900lm
- 230V



### HQ LED Flood Light 10W

RGB

**Code:128**

- 500lm
- 120 Degree Beam Angle
- 5000hrs Lifespan



### HQ LED Flood Light 10W

Red

**Code:129**

- 500lm
- 230V
- 5000hrs Life span-



### HQ LED Flood Light 10W

Blue

**Code:130**

- 500lm
- 230V
- 5000hrs Life Span



**HQ LED Flood Light 10W**

Green

**Code:131**

- 500lm
- 230V
- 5000hrs Lifespan



**HQ LED Flood Light 20W**

Cool White

**Code:132**

Warm White

**Code:133**

- 1800lm
- 120 Degree Beam Angle



**HQ LED Flood Light 50W**

Cool White

**Code:134**

Warm White

**Code:135**

- 45000lm
- IP65



## HQ LED Flood Light 100W


Cool White

**Code:136**

Warm White

**Code:163**

- 9500lm
- High Brightness SMD LED



## HQ LED Flood Light 20W + Sensor

Cool White

**Code:155**

Warm White


**Code:156**

- 1800lm
- 180 Degree Detection Range (up to 15M)
- IP65



## HQ LED Flood Light 80W

- Red (Code:157)
- Green (Code:158)
- Blue (Code:159)
- RGB (Code:160)




## HQ LED Flood Light 150W

Cool White

**Code:161**

- 135000lm
- 240V
- 5000hrs Lifespan






### HQ LED Flood Light 200W

Cool White

**Code:162**

- 180000lm
- Strong Aluminium Casing
- 5000hrs Life span



### SQ LED Flood Light 10W

Cool White

**Code:228**

Warm White

**Code:229**

- 900lm
- 120 Degree Beam Angle
- 230V



### SQ LED Flood Light 20W


Cool White

**Code:230**

Warm White

**Code:231**

- 1800lm
- 120 Degree Beam Angle
- 230V



### SQ LED Flood Light 30W

Cool White


**Code:232**

Warm White

**Code:233**

- 2700lm
- 120 Degree Beam Angle
- 230V





## HQ LED Flood Light 50W

Cool White

**Code:139**

Warm White

**Code:12**

- 4500m
- 120 Degree Beam Angle
- 230V



## ST77AE Ceiling LED Emergency Light

Cool White

**Code:979**

Warm White

**Code:980**

- 3.7V/1500mAH Lithium Battery (3hrs)
- 360 Degree Detection Angle
- 12W, 800lm



## 150W QI Fitting

**Code: 5**

- 240V
- Aluminium Casing
- IP65



## 150W QI Fitting + Sensor


**Code: 6**

- 180 Degree Detection Angle (12M)
- 240V
- 50Hz

## LED Under counter Light

MT50305 (320mm) Cool White	Code:922
MT50305 (320mm) Warm White	Code:923
MT50610 (580mm) Cool White	Code: 924
MT50610 (580mm) Warm White	Code: 925
MT50915 (880mm) Cool White	Code:926
MT50915 (880mm) Warm White	Code:927
MT Power Cord 15cm	Code:962
MT Power Cord 500cm	Code:961

- Ideal Replacement for T5,T8
- 35,000hrs Lifetime
- Wide Operating Voltage Range 100-240V







**500W QI Fitting**

**Code:7**

- 10500lm
- 240V
- IP65



**500W QI Fitting + Sensor**

**Code:8**

- 15000lm
- 180 Degree Detection Range (12M)
- Day & night Sensor




**10W QI LED Replacement**

Cool White

**Code:151**

Warm White

**Code:152**



**5W QI LED Replacement**

Cool White

**Code:153**

Warm White

**Code:154**